

ASA WORLD CARGO



Dimension Guide




Dimension Guide

CONTENTS

AIRCRAFT

BOEING 737-500	2
BOEING 737-700	4
BOEING 737-800	6
BOEING 767-300	8
BOEING 767-300 F/BCF	10
BOEING 777-200	12
BOEING 777-300	14
BOEING 777F	16
BOEING 787-8	18
BOEING 787-9	20
BOEING 787-10	22
AIRBUS 320/321	24
AIRBUS 380	26
DHC8-400	28

UNIT LOAD DEVICES	32 ~ 45
--------------------------------	---------



● Cargo door dimensions


[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	121 × 88 (48 × 35)
AFT CGO Door	121 × 88 (48 × 35)

● Weight Limitation


Compartment		Maximum Weight of Loading	Floor Limitation
FWD	8404 ~ 307K	1,573kg (3,468Lbs)	732kg/m ² (150Lbs/ft ²)
	351K ~ 359K	1,508kg (3,324Lbs)	732kg/m ² (150Lbs/ft ²)
AFT	8404 ~ 307K	2,888kg (6,368Lbs)	732kg/m ² (150Lbs/ft ²)
	351K ~ 359K	2,888kg (6,368Lbs)	732kg/m ² (150Lbs/ft ²)

FWD Comp't dimension



1 cm (inch)

AFT Comp't dimension



Package size table (FWD)


1 cm (inch)

		Width								
		12	25	38	50	63	76	89	101	114
		(5)	(10)	(15)	(20)	(25)	(30)	(35)	(40)	(45)
		Length								
Height	86 (34)	264 (104)	256 (101)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	81 (32)	264 (104)	256 (101)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	76 (30)	266 (105)	256 (101)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	71 (28)	266 (105)	259 (102)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	66 (26)	266 (105)	259 (102)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	60 (24)	269 (106)	259 (102)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	55 (22)	269 (106)	261 (103)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	50 (20)	271 (107)	261 (103)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	45 (18)	274 (108)	261 (103)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	40 (16)	279 (110)	264 (104)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	35 (14)	284 (112)	266 (105)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	30 (12)	289 (114)	266 (105)	246 (97)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	25 (10)	299 (118)	269 (106)	248 (98)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)
	12 (5)	307 (121)	281 (111)	254 (100)	236 (93)	218 (86)	200 (79)	175 (69)	152 (60)	137 (54)

Package size table (AFT)

1 cm (inch)

		Width								
		12	25	38	50	63	76	89	101	114
		(5)	(10)	(15)	(20)	(25)	(30)	(35)	(40)	(45)
		Length								
Height	86 (34)	378 (149)	342 (135)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	81 (32)	381 (150)	342 (135)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	76 (30)	383 (151)	342 (135)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	71 (28)	386 (152)	345 (136)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	66 (26)	388 (153)	347 (137)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	60 (24)	393 (155)	347 (137)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	55 (22)	398 (157)	350 (138)	314 (124)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	50 (20)	406 (160)	355 (140)	317 (125)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	45 (18)	416 (164)	360 (142)	320 (126)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	40 (16)	426 (168)	365 (144)	322 (127)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	35 (14)	441 (174)	373 (147)	325 (128)	289 (114)	261 (103)	236 (93)	210 (83)	185 (73)	165 (65)
	30 (12)	457 (180)	383 (151)	330 (130)	292 (115)	264 (105)	236 (93)	210 (83)	185 (73)	165 (65)
	25 (10)	472 (186)	398 (157)	337 (133)	292 (115)	264 (104)	236 (93)	210 (83)	185 (73)	165 (65)
	12 (5)	510 (201)	457 (180)	373 (147)	312 (123)	269 (106)	236 (93)	210 (83)	185 (73)	165 (65)



Bulk



AFT CARGO ROOM の FWD 側にはスライディングカーペットが装備されている

● Cargo door dimensions


[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	121 × 88 (48 × 35)
AFT CGO Door	121 × 88 (48 × 35)

● Weight Limitation


Compartment		Maximum Weight of Loading	Floor Limitation
FWD	-700	2,007kg (4,424Lbs)	732kg/m ² (150Lbs/ft ²)
	-700ER	552kg (1,218Lbs)	732kg/m ² (150Lbs/ft ²)
AFT	-700	2,989kg (6,590Lbs)	732kg/m ² (150Lbs/ft ²)
	-700ER	401kg (884Lbs)	732kg/m ² (150Lbs/ft ²)

FWD Comp't dimension



[cm (inch)]

AFT Comp't dimension



Package size table (FWD)

[cm (inch)]


		Width										
		12	25	38	50	63	76	89	101	114	122	
		(5)	(10)	(15)	(20)	(25)	(30)	(35)	(40)	(45)	(48)	
		Length										
Height	86 (34)	338 (133)	292 (115)	257 (101)	226 (89)	201 (79)	180 (71)	160 (63)	147 (58)	137 (54)	135 (53)	
	81 (32)	378 (149)	335 (132)	292 (115)	259 (102)	231 (91)	206 (81)	185 (73)	170 (67)	160 (63)	157 (62)	
	76 (30)	389 (153)	378 (149)	330 (130)	290 (114)	257 (101)	229 (90)	208 (82)	191 (75)	180 (71)	175 (69)	
	71 (28)	396 (156)	389 (153)	381 (150)	328 (129)	290 (114)	257 (101)	231 (91)	211 (83)	196 (77)	193 (76)	
	66 (26)	401 (158)	394 (155)	386 (152)	351 (138)	307 (121)	274 (108)	246 (97)	226 (89)	211 (83)	206 (81)	
	60 (24)	409 (161)	401 (158)	394 (155)	386 (152)	335 (132)	297 (117)	267 (105)	244 (96)	226 (89)	221 (87)	
	55 (22)	417 (164)	409 (161)	401 (158)	394 (155)	340 (140)	356 (124)	315 (121)	282 (111)	257 (101)	236 (93)	231 (91)
	50 (20)	422 (166)	414 (163)	406 (160)	401 (158)	384 (151)	338 (133)	302 (119)	272 (107)	251 (99)	241 (95)	
	45 (18)	430 (169)	422 (166)	414 (163)	406 (160)	399 (157)	356 (140)	315 (124)	284 (112)	262 (103)	251 (99)	
	40 (16)	437 (172)	432 (170)	417 (164)	409 (161)	401 (158)	368 (145)	325 (128)	292 (115)	267 (105)	257 (101)	
	35 (14)	439 (173)	432 (170)	424 (167)	417 (164)	411 (162)	391 (154)	345 (136)	310 (122)	279 (110)	279 (109)	
	30 (12)	442 (174)	434 (171)	430 (169)	422 (166)	414 (163)	401 (158)	358 (141)	320 (126)	292 (115)	277 (105)	
	25 (10)	447 (176)	439 (173)	434 (171)	427 (168)	419 (165)	414 (163)	371 (146)	330 (130)	307 (121)	284 (112)	
	12 (5)	455 (179)	447 (176)	439 (173)	434 (171)	427 (168)	422 (166)	414 (163)	363 (143)	318 (125)	302 (118)	302 (119)

Package size table (AFT)

[cm (inch)]

		Width										
		12	25	38	50	63	76	89	101	114	122	
		(5)	(10)	(15)	(20)	(25)	(30)	(35)	(40)	(45)	(48)	
		Length										
Height	86 (34)	226 (89)	196 (77)	168 (66)	147 (58)	132 (52)	—	—	—	—	—	—
	81 (32)	315 (124)	274 (108)	236 (93)	208 (82)	183 (72)	163 (64)	145 (57)	132 (52)	124 (49)	124 (49)	—
	76 (30)	406 (160)	356 (140)	312 (123)	279 (110)	251 (99)	226 (90)	206 (81)	191 (75)	178 (70)	170 (67)	—
	71 (28)	447 (176)	386 (152)	338 (133)	300 (118)	267 (105)	239 (94)	216 (85)	198 (78)	185 (73)	178 (70)	—
	66 (26)	511 (201)	434 (171)	376 (148)	330 (131)	295 (116)	264 (104)	239 (94)	218 (86)	203 (80)	193 (76)	—
	60 (24)	579 (228)	480 (189)	411 (162)	361 (142)	320 (126)	287 (113)	259 (102)	236 (93)	221 (87)	208 (82)	—
	55 (22)	587 (231)	523 (206)	450 (177)	386 (152)	340 (134)	305 (120)	274 (108)	251 (99)	234 (92)	224 (88)	—
	50 (20)	589 (232)	582 (229)	485 (191)	422 (166)	373 (147)	325 (128)	295 (116)	267 (105)	246 (97)	234 (92)	—
	45 (18)	594 (234)	587 (231)	518 (204)	447 (176)	394 (155)	343 (135)	310 (122)	282 (111)	259 (102)	246 (97)	—
	40 (16)	599 (236)	589 (232)	559 (220)	478 (188)	417 (164)	363 (143)	325 (128)	295 (116)	269 (106)	254 (100)	—
	35 (14)	602 (237)	594 (234)	587 (231)	511 (201)	442 (174)	389 (153)	340 (134)	307 (121)	282 (111)	264 (104)	—
	30 (12)	605 (238)	597 (235)	589 (232)	538 (212)	462 (182)	406 (160)	363 (143)	330 (130)	302 (119)	272 (107)	—
	25 (10)	610 (240)	599 (236)	592 (233)	566 (223)	483 (190)	422 (166)	376 (148)	338 (133)	310 (122)	279 (110)	—
	20 (5)	627 (247)	607 (239)	607 (236)	592 (233)	559 (220)	475 (187)	414 (163)	363 (143)	325 (128)	295 (116)	—

3 BOEING 737-800



AFT CARGO ROOMのFWD側にはスライディングカーペットが装備されている

● Cargo door dimensions


[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	121 × 88 (48 × 35)
AFT CGO Door	121 × 78~88 (48 × 31~35)

● Weight Limitation


Compartment		Maximum Weight of Loading	Floor Limitation
FWD	F-1	809kg (1,785Lbs)	732kg/m ² (150Lbs/ft ²)
	F-2	2,670kg (5,887Lbs)	732kg/m ² (150Lbs/ft ²)
AFT	A-1	3,818kg (8,418Lbs)	732kg/m ² (150Lbs/ft ²)
	A-2	764kg (1,685Lbs)	732kg/m ² (150Lbs/ft ²)

FWD Comp't dimension



[cm (inch)]

AFT Comp't dimension



Package size table (FWD)


[cm (inch)]

		Width											
		12	25	38	50	63	76	89	101	114	122		
		(5)	(10)	(15)	(20)	(25)	(30)	(35)	(40)	(45)	(48)		
		Length											
		86	284	254	228	205	185	170	154	144	137	134	
Height	(34)	(112)	(100)	(90)	(81)	(73)	(67)	(61)	(57)	(54)	(53)		
	81	332	294	264	238	215	195	180	167	160	157		
	(32)	(131)	(116)	(104)	(94)	(85)	(77)	(71)	(66)	(63)	(62)		
	76	381	332	297	266	241	220	203	187	180	175		
	(30)	(150)	(131)	(117)	(105)	(95)	(87)	(80)	(74)	(71)	(69)		
	71	426	373	314	294	266	241	223	208	195	193		
	(28)	(168)	(147)	(124)	(116)	(105)	(95)	(88)	(82)	(77)	(76)		
	66	477	408	360	320	287	261	238	223	210	205		
	(26)	(188)	(161)	(142)	(126)	(113)	(103)	(94)	(88)	(83)	(81)		
	60	533	449	391	347	309	281	256	238	226	220		
	(24)	(210)	(177)	(154)	(137)	(122)	(111)	(101)	(94)	(89)	(87)		
	55	586	492	424	373	332	299	274	254	238	231		
	(22)	(231)	(194)	(167)	(147)	(131)	(118)	(108)	(100)	(94)	(91)		
	50	645	533	457	398	353	317	289	266	248	243		
	(20)	(254)	(210)	(180)	(157)	(139)	(125)	(114)	(105)	(98)	(96)		
	45	693	579	490	424	373	335	302	279	259	254		
(18)	(273)	(228)	(193)	(167)	(147)	(132)	(119)	(110)	(102)	(100)			
40	695	627	523	449	401	353	317	289	269	261			
(16)	(274)	(247)	(206)	(177)	(158)	(139)	(125)	(114)	(106)	(103)			
35	698	678	558	477	429	368	330	302	279	271			
(14)	(275)	(267)	(220)	(188)	(169)	(145)	(130)	(119)	(110)	(107)			
30	703	693	591	500	434	383	342	312	287	279			
(12)	(277)	(273)	(233)	(197)	(171)	(151)	(135)	(123)	(113)	(110)			
25	703	695	635	533	459	403	360	327	299	284			
(10)	(277)	(274)	(250)	(210)	(181)	(159)	(142)	(129)	(118)	(112)			
12	711	701	693	614	520	452	401	360	330	294			
(5)	(280)	(276)	(273)	(242)	(205)	(178)	(158)	(142)	(130)	(116)			



Package size table (AFT)

[cm (inch)]


		Width											
		12	25	38	50	63	76	89	101	114	122		
		(5)	(10)	(15)	(20)	(25)	(30)	(35)	(40)	(45)	(48)		
		Length											
Height	86 (34)	226 (89)	195 (77)	167 (66)	147 (58)	132 (52)	(*)1	(*)1	(*)1	(*)1	(*)1	(*)1	
	81 (32)	314 (124)	274 (108)	236 (93)	208 (82)	182 (72)	162 (64)	144 (57)	132 (52)	124 (49)	124 (49)		
	76 (30)	406 (160)	355 (140)	312 (123)	279 (110)	251 (99)	226 (89)	205 (81)	190 (75)	170 (70)	177 (67)		
	71 (28)	447 (176)	386 (152)	337 (133)	299 (118)	266 (105)	238 (94)	215 (85)	198 (78)	185 (73)	177 (70)		
	66 (26)	510 (201)	434 (171)	375 (148)	330 (130)	294 (116)	264 (104)	238 (94)	218 (86)	203 (80)	193 (76)		
	60 (24)	579 (228)	480 (189)	411 (162)	362 (142)	320 (126)	287 (113)	259 (102)	236 (93)	220 (87)	208 (82)		
	55 (22)	627 (247)	523 (206)	449 (177)	386 (152)	340 (134)	304 (120)	274 (108)	251 (99)	233 (92)	223 (88)		
	50 (20)	698 (275)	571 (225)	485 (191)	421 (166)	373 (147)	325 (128)	294 (116)	266 (105)	246 (97)	233 (92)		
	45 (18)	858 (338)	614 (242)	523 (206)	447 (176)	393 (155)	342 (135)	309 (122)	281 (111)	259 (102)	246 (96)		
	40 (16)	861 (339)	673 (265)	558 (220)	477 (188)	416 (164)	363 (143)	325 (128)	294 (116)	269 (105)	254 (100)		
	35 (14)	863 (340)	744 (293)	604 (238)	510 (201)	441 (174)	388 (153)	340 (134)	307 (121)	281 (111)	264 (104)		
	30 (12)	866 (341)	858 (338)	642 (253)	538 (212)	482 (182)	426 (160)	363 (143)	330 (130)	302 (119)	271 (107)		
	25 (10)	871 (343)	861 (339)	693 (273)	574 (226)	512 (190)	448 (166)	375 (148)	337 (133)	309 (122)	279 (110)		
	20 (5)	876 (345)	863 (340)	855 (337)	680 (268)	561 (221)	477 (188)	414 (163)	365 (144)	332 (131)	304 (120)		



Container



Pallet



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	178 × 175 (70 × 69) / 300ER 340 × 175 (134 × 69)
AFT CGO Door	178 × 175 (70 × 69)
BULK CGO Door	97 × 114 (38 × 45)

● Maximum Number of ULD

Compartment	ULD			
FWD	300	8 Containers	300ER	8 Containers / 4 Pallets
AFT		7 Containers		7 Containers / 3 Pallets
TOTAL		15 Containers		15 Containers / 7 Pallets


● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	14,152kg (31,200Lbs)	977kg/m ² (200Lbs/ft ²)
AFT	11,747kg (25,900Lbs)	977kg/m ² (200Lbs/ft ²)
BULK	2,925kg (6,450Lbs)	732kg/m ² (150Lbs/ft ²)


■ Bulk Comp't dimension

[cm (inch)]

<~JA618A>




<JA619A~>



● Package size table (BULK)

[cm (inch)]

		Width						
		13 (5)	25 (10)	51 (20)	76 (30)	89 (35)	91 (36)	93 (36.6)
		Length						
Height	120 (47.2)	302 (119)	—	—	—	—	—	—
	118 (46.6)	302 (119)	302 (119)	—	—	—	—	—
	116 (45.5)	302 (119)	302 (119)	302 (119)	—	—	—	—
	107 (42.0)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	—	—
	91 (35.7)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	—	—
	51 (20.0)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	—
	25 (10.0)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	—
	13 (5.0)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)	302 (119)



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
Main deck CGO Door	340 × 262 (134 × 103)
FWD CGO Door	340 × 170 (134 × 67)
AFT CGO Door	340 × 170 (134 × 67) / BCF 178 × 175 (70 × 69)
BULK CGO Door	97 × 114 (38 × 45)

● Maximum Number of ULD

Compartment	ULD
MAIN	22 Pallets (Side by side ver)
FWD	8 Containers / 4 Pallets
AFT	7 Containers / 3 Pallets
TOTAL	15 Containers / 29 Pallets

● Weight Limitation


Compartment	Maximum Weight of Loading	Floor Limitation
MAIN	26,000kg (45,400Lbs)	1,221kg/m ² (250Lbs/ft ²)
FWD	20,411kg (45,000Lbs)	977kg/m ² (200Lbs/ft ²)
AFT	17,758kg (39,150Lbs)	977kg/m ² (200Lbs/ft ²)
BULK	2,925kg (6,450Lbs)	732kg/m ² (150Lbs/ft ²)

■ Main Deck

Transverse



Side By Side




Container Load








■ Lower Deck

Container



Pallet



**Container****Pallet**

● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	269 × 170 (106 × 67)
AFT CGO Door	〈DOM〉 178 × 170 (70 × 67)/ 200ER 269 × 170 (106 × 67)
BULK CGO Door	91 × 114 (36 × 45)

● Maximum Number of ULD


Compartment	ULD	
FWD	200 18 Containers / 6 Pallets	200ER 18 Containers / 6 Pallets
AFT	14 Containers / 〈INT〉 4 Pallets	10 Containers / 〈INT〉 3 Pallets
TOTAL	32 Containers / 〈INT〉 10 Pallets	28 Containers / 〈INT〉 9 Pallets

● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	30,617kg (67,500Lbs)	977kg/m ² (200Lbs/ft ²)
AFT	22,226kg (49,000Lbs)	977kg/m ² (200Lbs/ft ²)
BULK	4,082kg (9,000Lbs)	732kg/m ² (150Lbs/ft ²)

■ Bulk Comp't dimension


[cm (inch)]



● Package size table (BULK)

[cm (inch)]

		Width					
		12 (5)	25 (10)	38 (15)	50 (20)	63 (25)	84 (33.2)
		Length					
Height	101 (40)	429 (169)	429 (169)	391 (154)	360 (142)	337 (133)	312 (123)
	91 (36)	429 (169)	429 (169)	408 (161)	373 (147)	347 (137)	325 (128)
	81 (32)	429 (169)	429 (169)	429 (169)	391 (154)	363 (143)	337 (133)
	71 (28)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	60 (24)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	50 (20)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	40 (16)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	30 (12)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	20 (8)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	10 (4)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	269 × 170 (106 × 67)
AFT CGO Door	300 178 × 170 (70 × 67) / 300ER 269 × 170 (106 × 67)
BULK CGO Door	91 × 114 (36 × 45)

● Maximum Number of ULD


Compartment	ULD			
FWD	300	24 Containers / 8 Pallets	300ER	24 Containers / 8 Pallets
AFT		20 Containers		20 Containers / 6 Pallets
TOTAL		44 Containers / 8 Pallets		44 Containers / 14 Pallets

● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	40,823kg (90,000Lbs)	977kg/m ² (200Lbs/ft ²)
AFT	31,751kg (70,000Lbs)	977kg/m ² (200Lbs/ft ²)
BULK	4,082kg (9,000Lbs)	732kg/m ² (150Lbs/ft ²)

■ Bulk Comp't dimension

[cm (inch)]




● Package size table (BULK)


[cm (inch)]

		Width					
		12 (5)	25 (10)	38 (15)	50 (20)	63 (25)	84 (33.2)
		Length					
Height	101 (40)	429 (169)	429 (169)	391 (154)	360 (142)	337 (133)	312 (123)
	91 (36)	429 (169)	429 (169)	408 (161)	373 (147)	347 (137)	325 (128)
	81 (32)	429 (169)	429 (169)	429 (169)	391 (154)	363 (143)	337 (133)
	71 (28)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	60 (24)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	50 (20)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	40 (16)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	30 (12)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	20 (8)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)
	10 (4)	429 (169)	429 (169)	429 (169)	411 (162)	381 (150)	347 (137)

* BOEING 777-300ER
BOEING 777-300ER is used only for international flight.



■ Lower Deck



● Cargo door dimensions

[cm (inches)]

Name of CGO Door	Door Dimension Width × Height
Main deck CGO Door	373 × 305 (147 × 120)
FWD CGO Door	259 × 170 (102 × 67)
AFT CGO Door	259 × 170 (102 × 67)
BULK CGO Door	84 × 112 (33 × 44)

● Maximum Number of ULD



Compartment	ULD
MAIN	27 Pallets (side by side ver)
FWD	18 Containers / 6 Pallets
AFT	14 Containers / 4 Pallets
TOTAL	32 Containers / 37 Pallets

● Weight Limitation


Compartment	Maximum Weight of Loading	Floor Limitation
MAIN	-	1,464kg/m ² (300lbs/ft ²)
FWD	30,617kg (67,500lbs)	976kg/m ² (200lbs/ft ²)
AFT	22,226kg (49,000lbs)	976kg/m ² (200lbs/ft ²)
BULK	4,082kg (9,000lbs)	732kg/m ² (150lbs/ft ²)

■ Main Deck


Side by side (PMC or PAG)



Center load (PMC)




Center load (PRA or PGA)



■ Bulk Comp't dimension


| cm (inch) |



● Package size table (BULK)

| cm (inch) |

		Width					
		12(5)	25(10)	38(15)	50(20)	63(25)	84(33.2)
		Length					
Height	101(40)	429(169)	429(169)	391(154)	360(142)	337(133)	312(123)
	91(36)	429(169)	429(169)	408(161)	373(147)	347(137)	325(128)
	81(32)	429(169)	429(169)	429(169)	391(154)	363(143)	337(133)
	71(28)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)
	60(24)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)
	50(20)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)
	40(16)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)
	30(12)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)
	20(8)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)
	10(4)	429(169)	429(169)	429(169)	411(162)	381(150)	347(137)



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	269 × 170 (106 × 67)
AFT CGO Door	269 × 170 (106 × 67)
BULK CGO Door	102 × 114 (40 × 45)

● Maximum Number of ULD


Compartment	ULD
FWD	16 Containers / 5 Pallets
AFT	12 Containers / 4 Pallets
TOTAL	28 Containers / 9 Pallets

● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	22,906kg (50,500Lbs)	977kg/m ² (200Lbs/ft ²)
AFT	18,534kg (40,860Lbs)	977kg/m ² (200Lbs/ft ²)
BULK	2,735kg (6,030Lbs)	732kg/m ² (150Lbs/ft ²)

■ Bulk Comp't dimension

[cm (inch)]




● Package size table (BULK)

[cm (inch)]

		Width						
		12 (5)	25 (10)	38 (15)	50 (20)	63 (25)	76 (30)	88 (35)
		Length						
Height	111 (45)	304 (120)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	101 (40)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	91 (36)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	81 (32)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	71 (28)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)
	60 (24)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)
	50 (20)	330 (130)	317 (125)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)
	40 (16)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)
	30 (12)	342 (135)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)
	20 (8)	355 (140)	342 (135)	330 (130)	317 (125)	304 (120)	304 (120)	292 (115)
	10 (4)	368 (145)	355 (140)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)

10 BOEING 787-9



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	269 × 170 (106 × 67)
AFT CGO Door	269 × 170 (106 × 67)
BULK CGO Door	102 × 114 (40 × 45)

● Maximum Number of ULD


Compartment	ULD
FWD	20 Containers / 6 Pallets
AFT	16 Containers / 5 Pallets
TOTAL	36 Containers / 11 Pallets

● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	32,005kg (70,560Lbs)	977kg/m ² (200Lbs/ft ²)
AFT	25,655kg (56,560Lbs)	977kg/m ² (200Lbs/ft ²)
BULK	2,735kg (6,030Lbs)	732kg/m ² (150Lbs/ft ²)

■ Bulk Comp't dimension

[cm (inch)]



● Package size table (BULK)



[cm (inch)]

		Width						
		12 (5)	25 (10)	38 (15)	50 (20)	63 (25)	76 (30)	88 (35)
		Length						
Height	111 (45)	304 (120)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	101 (40)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	91 (36)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	81 (32)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	71 (28)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)
	60 (24)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)
	50 (20)	330 (130)	317 (125)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)
	40 (16)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)
	30 (12)	342 (135)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)
	20 (8)	355 (140)	342 (135)	330 (130)	317 (125)	304 (120)	304 (120)	292 (115)
	10 (4)	368 (145)	355 (140)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)


11 BOEING 787-10



Container



Pallet



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	269 × 170 (106 × 67)
AFT CGO Door	269 × 170 (106 × 67)
BULK CGO Door	102 × 156 (40.1 × 61.5)

● Maximum Number of ULD


Compartment	ULD
FWD	22 Containers / 7 Pallets
AFT	18 Containers / 6 Pallets
TOTAL	40 Containers / 13 Pallets

● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	36,967kg (81,500lb)	977kg/m ² (200lbs/ft ²)
AFT	30,617kg (67,500lb)	977kg/m ² (200lbs/ft ²)
BULK	2,735kg (6,030lb)	732kg/m ² (150lbs/ft ²)

■ Bulk Comp't dimension

[cm (inch)]




● Package size table (BULK)

[cm (inch)]

		Width						
		12 (5)	25 (10)	38 (15)	50 (20)	63 (25)	76 (30)	88 (35)
		Length						
Height	111 (45)	304 (120)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	101 (40)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	91 (36)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	81 (32)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)	241 (95)
	71 (28)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)
	60 (24)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)	254 (100)
	50 (20)	330 (130)	317 (125)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)
	40 (16)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)	266 (105)
	30 (12)	342 (135)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)	279 (110)
	20 (8)	355 (140)	342 (135)	330 (130)	317 (125)	304 (120)	304 (120)	292 (115)
	10 (4)	368 (145)	355 (140)	342 (135)	330 (130)	317 (125)	304 (120)	292 (115)

12 AIRBUS 320/321



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	182 × 119 (71.5 × 46.9)
AFT CGO Door	182 × 119 (71.5 × 46.9)
BULK CGO Door	95 × 77 (37.6 × 30)

● Maximum Number of ULD


Compartment	ULD	
FWD	A320 3 Containers	A321 5 Containers
AFT	4 Containers	5 Containers
TOTAL	7 Containers	10 Containers

● Weight Limitation

Compartment	Maximum Weight of Loading		Floor Limitation
	A320	A321	
FWD	3,402kg (7,500Lbs)	5,070kg (12,500Lbs)	488kg/m ² (100Lbs/ft ²)
AFT	4,536kg (10,000Lbs)	5,670kg (12,500Lbs)	488kg/m ² (100Lbs/ft ²)
BULK	1,497kg (3,300Lbs)	1,497kg (3,300Lbs)	732kg/m ² (150Lbs/ft ²)

■ Bulk Comp't dimension

[cm (inch)]




● Package size table (BULK)


[cm (inch)]

		Width								
		10(3.9)	20(7.8)	30(11.8)	40(15.7)	50(19.6)	60(23.6)	70(27.5)	80(31.4)	85(33.4)
		Length								
Height	10(3.9)	323 (127.0)	323 (127.0)	321 (126.0)	318 (125.1)	316 (124.4)	310 (122.0)	303 (119.2)	277 (109.0)	268 (105.5)
	20(7.8)	323 (127.0)	323 (127.0)	321 (126.0)	318 (125.1)	315 (124.0)	307 (120.8)	296 (116.5)	273 (107.4)	265 (104.3)
	30(11.8)	323 (127.0)	321 (126.0)	317 (124.8)	314 (123.6)	304 (119.6)	295 (116.1)	278 (109.4)	260 (102.3)	254 (100.0)
	40(15.7)	319 (125.6)	315 (124.2)	311 (122.4)	301 (118.5)	290 (114.1)	282 (111.0)	262 (103.1)	248 (97.6)	243 (95.6)
	50(19.6)	311 (122.4)	309 (121.6)	291 (114.5)	281 (110.6)	271 (106.6)	257 (101.1)	242 (95.2)	231 (90.9)	228 (89.7)
	60(23.6)	290 (114.1)	273 (107.4)	259 (101.9)	247 (97.2)	234 (92.1)	224 (88.1)	217 (85.4)	211 (83.0)	208 (81.8)
	65(25.5)	270 (106.2)	257 (101.1)	241 (94.8)	229 (90.1)	217 (85.4)	208 (81.8)	202 (79.5)	198 (77.9)	193 (75.9)


13 AIRBUS 380



Container



Pallet



● Cargo door dimensions

[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	311 × 175 (122 × 68)
AFT CGO Door	279 × 175 (109 × 68)
BULK CGO Door	113 × 99 (44 × 38)

● Maximum Number of ULD


Compartment	ULD
FWD	16 Containers / 5 Pallets
AFT	16 Containers / 6 Pallets
TOTAL	32 Containers / 11 Pallets

● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	36,967kg (81,500lb)	659kg/m ² (135lbs/ft ²)
AFT	30,617kg (67,500lb)	659kg/m ² (135lbs/ft ²)
BULK	2,735kg (6,030lb)	732kg/m ² (150lbs/ft ²)

■ Bulk Comp't dimension

[cm (inch)]



● Package size table (BULK)

[cm (inch)]


SECTION 52

		Width											
		10 (3)	15 (5)	20 (7)	25 (9)	30 (11)	35 (13)	40 (15)	45 (17)	50 (19)	55 (21)	60 (23)	65 (25)
		Length											
Height	up to 60 (23)	294 (115)	289 (113)	284 (112)	280 (110)	275 (108)	271 (106)	266 (105)	262 (103)	258 (101)	254 (100)	250 (98)	247 (97)

SECTION 53

		Width											
		10 (3)	15 (5)	20 (7)	25 (9)	30 (11)	35 (13)	40 (15)	45 (17)	50 (19)	55 (21)	60 (23)	
		Length											
Height	up to 60 (23)	320 (126)	319 (125)	318 (125)	318 (125)	318 (125)							

14 DHC8-400



● Cargo door dimensions


[cm (inch)]

Name of CGO Door	Door Dimension Width × Height
FWD CGO Door	61 × 137 (24 × 54)
AFT CGO Door	127 × 152 (50 × 60)


● Weight Limitation

Compartment	Maximum Weight of Loading	Floor Limitation
FWD	407kg (904Lbs)	610kg/m ² (125Lbs/ft ²)
AFT-1	681kg (1,500Lbs)	610kg/m ² (125Lbs/ft ²)
AFT-2	454kg (1,000Lbs)	366kg/m ² (75Lbs/ft ²)

■ FWD CARGO COMPARTMENT



■ AFT CARGO COMPARTMENT



● Package size table (FWD)

[cm (inch)]

		Width					
		10	20	30	40	50	60
		(4)	(8)	(12)	(16)	(20)	(24)
		Length					
Height	135	60	60	60	60	60	60
	(56)	(24)	(24)	(24)	(24)	(24)	(24)
	130	60	60	60	60	60	60
	(52)	(24)	(24)	(24)	(24)	(24)	(24)
	120	60	60	60	60	60	60
	(48)	(24)	(24)	(24)	(24)	(24)	(24)
	110	72	67	61	60	60	60
	(44)	(29)	(27)	(24)	(24)	(24)	(24)
	100	86	81	75	68	60	60
	(40)	(34)	(32)	(30)	(27)	(24)	(24)
	90	99	94	88	81	73	60
	(36)	(39)	(37)	(35)	(32)	(29)	(24)
	80	111	106	100	93	85	76
	(32)	(44)	(42)	(40)	(37)	(34)	(30)
	70	122	117	111	104	96	87
	(28)	(48)	(46)	(44)	(41)	(38)	(35)
	60	132	127	121	114	106	97
	(24)	(52)	(50)	(48)	(45)	(42)	(39)
	50	141	136	130	123	115	106
	(20)	(56)	(54)	(52)	(49)	(46)	(42)
	40	149	144	138	131	123	114
	(16)	(59)	(57)	(55)	(52)	(49)	(45)
	30	156	151	145	138	130	121
	(12)	(62)	(60)	(58)	(55)	(52)	(48)
	20	162	157	151	144	136	127
	(8)	(64)	(62)	(60)	(57)	(54)	(50)
	10	167	162	156	149	141	132
	(4)	(66)	(64)	(62)	(59)	(56)	(52)

14 DHC8-400

● Package size table (AFT-1)

[cm (inch)]

		Width											
		10 (4)	20 (8)	30 (12)	40 (16)	50 (20)	60 (24)	70 (28)	80 (32)	90 (36)	100 (40)	110 (44)	118 (47)
		Length											
Height	138 (55)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	130 (52)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	120 (48)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	110 (44)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	100 (40)	131 (52)	126 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	90 (36)	144 (57)	139 (55)	131 (52)	126 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	80 (32)	156 (62)	151 (60)	145 (58)	138 (55)	136 (52)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	70 (28)	167 (66)	162 (64)	156 (62)	149 (59)	141 (56)	132 (52)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	60 (24)	177 (70)	172 (68)	166 (66)	159 (63)	151 (60)	142 (56)	132 (52)	125 (50)	125 (50)	125 (50)	125 (50)	125 (50)
	50 (20)	186 (74)	181 (72)	175 (69)	168 (67)	160 (63)	151 (60)	141 (56)	130 (52)	125 (50)	125 (50)	125 (50)	125 (50)
	40 (16)	194 (77)	189 (75)	183 (72)	176 (70)	168 (67)	159 (63)	149 (59)	138 (55)	126 (50)	125 (50)	125 (50)	125 (50)
	30 (12)	201 (80)	196 (78)	190 (75)	183 (72)	175 (69)	166 (66)	156 (62)	145 (58)	131 (52)	125 (50)	125 (50)	125 (50)
	20 (8)	207 (82)	202 (80)	196 (78)	189 (75)	181 (72)	172 (68)	162 (64)	151 (60)	139 (55)	126 (50)	125 (50)	125 (50)
	10 (4)	212 (84)	207 (82)	201 (80)	194 (77)	186 (74)	177 (70)	167 (66)	156 (62)	144 (57)	131 (52)	125 (50)	125 (50)




● Package size table (AFT-2)

[cm (inch)]

		Width					
		10 (4)	20 (8)	30 (12)	40 (16)	50 (20)	60 (24)
		Length					
Height	110 (44)	120 (48)	120 (48)	120 (48)	120 (48)	120 (48)	120 (48)
	100 (40)	120 (48)	120 (48)	120 (48)	120 (48)	120 (48)	120 (48)
	90 (36)	124 (49)	120 (48)	120 (48)	120 (48)	120 (48)	120 (48)
	80 (32)	132 (52)	124 (49)	120 (48)	120 (48)	120 (48)	120 (48)
	70 (28)	140 (56)	132 (52)	124 (49)	120 (48)	120 (48)	120 (48)
	60 (24)	148 (59)	140 (56)	132 (52)	124 (49)	120 (48)	120 (48)
	50 (20)	156 (62)	148 (59)	140 (56)	132 (52)	124 (49)	120 (48)
	40 (16)	164 (65)	156 (62)	148 (59)	140 (56)	132 (52)	124 (49)
	30 (12)	172 (68)	164 (65)	156 (62)	148 (59)	140 (56)	132 (52)
	20 (8)	180 (71)	172 (68)	164 (65)	156 (62)	148 (59)	140 (56)
	10 (4)	188 (74)	180 (71)	172 (68)	164 (65)	156 (62)	148 (59)




UNIT LOAD DEVICE

CONTAINER

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft 機載航空機器 搭載機種	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DKH (AKH) (LD-3-46WF)		3.2 (113)	125 ~ 135 (276 ~ 298)	
		244 × 153 × 117 (96 × 60.4 × 46)	B777 B787 B767 A320 A321 A380	1,134 (2,500)
DC		143 × 95 (56 × 37)		
DKH (LD-3-45WF)		3.1 (109)	125 ~ 135 (276 ~ 298)	
		244 × 153 × 114 (96 × 60.4 × 45)	B777 B787 B767 A320 A321 A380	1,134 (2,500)
DC		147 × 95 (58 × 37)		
AKH (LD3-45WF)		3.0(106)	111 (245)	
		215 × 148 × 144 (84.6 × 58.2 × 44.8)	B777 B787 B767 A320 A321 A380	1,134 (2,500)
DC		137 × 95 (54 × 37)		

IC (International)

DC (Domestic)




IATA ID Code (IATA Code)	Illustration	Int Volume: m3(ft3)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
AKH (LD3-45WF)		3.3(116)	95(209)	
		156 × 153 × 114 (61.5 × 60.4 × 45)	B777 B787 B767 A320 A321 A380	1,134 (2,500)
IC		137 × 105 (54 × 41)		
DKN (LD-3F)		3.8(134)	125 ~ 135 (276 ~ 298)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
DC		143 × 141 (56 × 56)		
DKN (LD-3F) LIGHT WEIGHT TYPE		4.0(141)	113 (250)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
DC		140 × 143 (55 × 56.3)		

IC (International)

DC (Domestic)




UNIT LOAD DEVICE

CONTAINER

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	外寸 L × W × H : External Dimension L × W × H: cm(inch) ドアサイズ L × H : Door Size L × H: cm(inch)	搭載可能機材 Loadable Aircraft	重量制限 Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DKN (LD-3F) GOH		3.8(134)	162 (357)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
IC	DC	143 × 139 (56 × 55)		
AKN (LD-3F) GOH		3.8 (134)	120 (242)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
IC	DC	143 × 142 (56 × 56)		
AKE (LD-3) LIGHT WEIGHT TYPE		4.4 (156)	71 (157)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
IC		138 × 153 (54.3 × 60.4)		

IC (International)




DC (Domestic)

IATA ID Code (IATA Code)	Illustration Internal Dimension: cm(inch)	Int Volume: m3(ft3)	Tare Wt: kg(Lbs)	
		External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DQP (LD-4F)		5.1 (180)	190 ~ 200 (419 ~ 441)	
		244 × 153 × 163 (96 × 60.4 × 64)	8777 8767	2,449 (5,400)
		231 × 139 (91 × 55)	8787	2,449 (5,400) ※ Lateral loading 1,587 (3,500) ※ Longitudinal loading
DC				
DQP (LD-4)		5.5 (194)	120 ~ 130 (265 ~ 287)	
		244 × 153 × 163 (96 × 60.4 × 64)	8777 8767	2,449 (5,400)
		231 × 148 (91 × 58)	8787	2,449 (5,400) ※ Lateral loading 1,587 (3,500) ※ Longitudinal loading
IC				
DQF (LD-8)		7.2 (253)	145 ~ 155 (320 ~ 342)	
		244 × 153 × 163 (96 × 60.4 × 64)	8777-200 8777-300 8787-8 8767	2,449 (5,400)
		225 × 154 (88 × 60)		
IC				




IC (International) DC (Domestic)

UNIT LOAD DEVICE

CONTAINER

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DLP (DWB) (LD-11F)		6.8 (240)	240 ~ 250 (529 ~ 551)	
		318 × 153 × 163 (125 × 60.4 × 64)	B777 B787 B767 B767ER B767F	3,175 (7,000)
DC		296 × 137 (117 × 54)	A380	3,174 (7,000)
DLF (LD-6F)		8.7(307)	270 ~ 280 (595 ~ 617)	
		318 × 153 × 163 (125 × 60.4 × 64)	B777 B787	3,175 (7,000)
DC		231 × 139 (91 × 55)	A380	3,174 (7,000)
DAP (LD-9F)		10.3 (364)	417 ~ 430 (920 ~ 948)	
		224 × 318 × 163 (88 × 125 × 64)	B777 B787	4,676 (10,310)
DC		196 × 132 (77 × 52)	B767ER B767F	5,102 (11,250)

IC (International) DC (Domestic)


IATA ID Code (IATA Code)	Illustration Internal Dimension: cm(inch)	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
		External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DAP (LD-9F) SIDE DOOR OPEN TYPE DC		10.3 (364)	360 ~ 370 (794 ~ 816)	
		318 × 224 × 163 (125 × 88 × 64)	B777 B787	4,676 (10,310)
		284 × 130 (112 × 51)	B767ER B767F	5,102 (11,250)
DAF (LD-26) DC		12.5 (441)	275 ~ 285 (606 ~ 628)	
		318 × 224 × 163 (125 × 88 × 64)	B777 B787	4,676 (10,310)
		302 × 150 (119 × 59)	A380	4,676 (10,200)
UMA (M-1) DC		15.9 (561)	439 (968)	
		318 × 244 × 244 (125 × 96 × 96)	B767F	MAIN 3,394 (7,483) ~ 6,803 (15,000)
		225 × 228 (88.4 × 89.7)	B777F	MAIN 4,082 (9,000) ~ 6,803 (15,000)

IC (International)




DC (Domestic)

UNIT LOAD DEVICE

CONTAINER

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
AMF (LD-36)		12.5 (441)	280 (617)	B777 B787 A380 5,102 (11,250)
		318 × 244 × 163 (125 × 96 × 64) 302 × 150 (119 × 59)		
IC				

IC (International) DC (Domestic)


IATA ID Code (IATA Code)	Illustration Internal Dimension: cm(inch)	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
		External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DAP (LD-9F) SIDE DOOR OPEN TYPE DC		10.3 (364)	360 ~ 370 (794 ~ 816)	
		318 × 224 × 163 (125 × 88 × 64)	B777 B787	4,676 (10,310)
		284 × 130 (112 × 51)	B767ER B767F	5,102 (11,250)
DAF (LD-26) DC		12.5 (441)	275 ~ 285 (606 ~ 628)	
		318 × 224 × 163 (125 × 88 × 64)	B777 B787	4,676 (10,310)
		302 × 150 (119 × 59)	A380	4,676 (10,200)
UMA (M-1) DC		15.9 (561)	439 (968)	
		318 × 244 × 244 (125 × 96 × 96)	B767F	MAIN 3,394 (7,483) ~ 6,803 (15,000)
		225 × 228 (88.4 × 89.7)	B777F	MAIN 4,082 (9,000) ~ 6,803 (15,000)

IC (International)

DC (Domestic)




UNIT LOAD DEVICE

CONTAINER

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
AMF (LD-36)		12.5 (441)	280 (617)	B777 B787 A380 5,102 (11,250)
		318 × 244 × 163 (125 × 96 × 64) 302 × 150 (119 × 59)		
IC				

IC (International) DC (Domestic)

SPECIAL CONTAINER




IATA ID Code (IATA Code)	Illustration	Int Volume: m3(ft3)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
MQP (LD-4F)		4.9 (173)	240 ~ 250 (529 ~ 551)	
		244 × 153 × 163 (96 × 60.4 × 64)	B777 B767	2,449(5,400)
		* INSULATED	B787	2,449 (5,400) ※ Lateral loading
		231 × 140 (91 × 55)	B787	1,587 (3,500) ※ Longitudinal loading
DC				
MKN (LD-3F)		3.8 (134)	150 ~ 160 (331 ~ 353)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
		* INSULATED		
		141 × 140 (55 × 55)		
DC				
MKN (LD-3F)		3.8 (134)	125 ~ 135 (276 ~ 298)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
		* INSULATED		
		143 × 141 (56 × 56)		
DC				

IC (International)

DC (Domestic)



UNIT LOAD DEVICE

SPECIAL CONTAINER

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
MKN (LD-3F)		3.0 (106)	280 ~ 290 (617 ~ 639)	
		156 × 153 × 162 (61.5 × 60.4 × 63)	B777 B787 B767 A380	1,587 (3,500)
		* FANTYPE		
		143 × 141 (56 × 56)		
DC				
RKN (LD-3F)		3.5 (123)	260 ~ 270 (573 ~ 595)	
		156 × 153 × 163 (61.5 × 60.4 × 64)	B777 B787 B767 A380	1,587 (3,500)
		* Inside Temp -20 ~ +20°C * Coolant DRY - ICE* FANTYPE		
		142 × 140 (56 × 55)		
IC DC				
RAP (LD-9)		8.9 (314)	450 ~ 460 (992 ~ 1,014)	
		318 × 224 × 163 (125 × 88 × 64)	B777 B787	4,676 (10,310)
		* Inside Temp -20 ~ +20°C * Coolant DRY - ICE* FANTYPE	B767ER B767F	5,102 (11,250)
		278 × 145 (109 × 57)	A380	4,626 (10,200)
IC				


IC (International)

DC (Domestic)

IATA ID Code (IATA Code)	Illustration Internal Dimension: cm(inch)	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
		External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
AAX	 208 (82) 308(121) 205(81)	13.7 (484)	309 (681)	
		318 × 224 × 243 (125 × 88 × 96)	B767F	MAIN 4,857 (10,710) ~ 8,915 (19,656)
IC		295 × 233 (116 × 92)	B777F	MAIN 4,082 (9,000) ~ 6,803 (15,000)
AMA	 228 (90) 293(115) 228(90)	17.1(604)	287(633)	
		318 × 244 × 244 (125 × 96 × 96)	B767F	MAIN 3,394 (7,483) ~ 6,803 (15,000)
IC		293 × 228 (115 × 90)	B777F	MAIN 4,082 (9,000) ~ 6,803 (15,000)

UNIT LOAD DEVICE


MOTORBIKE SKID

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch) Door Size L × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DC			175 ~ 185	(385 ~ 407)
		220 × 74 × 49.5 (87 × 29 × 19)	B777 B787 B767 A380	

IC (International)

DC (Domestic)



MEDIUM BOX (AMB)

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch) Door Size L × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
DC			6(13)	
		78 × 59.4 × 53.3 (30 × 23 × 20)	All Aircraft (Bulk)	80 (176)

IC (International)


DC (Domestic)

■ WATERPROOF PAN

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
LD3 TYPE		0.5(17)	25(55)	
		136 × 127 × 38 (53 × 50 × 15)	B777 B787 B767 A320 A321 A380	
DC				
LD4 TYPE		0.8(17)	40(88)	
		220 × 127 × 38 (86 × 50 × 15)	B777 B787 B767	
DC				

*国際 IC (International) 国内 DC (Domestic)




■ TUNA PAN

		1.5(53)	150(330)	
		184 × 149 × 65 (72 × 59 × 26)	B777 B787 B767 A380	
DC				1,587 (3,500)

IC (International) DC (Domestic)



UNIT LOAD DEVICE

■ PALLET

IATA ID Code (IATA Code)	Illustration	Int Volume: m3(ft3)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)
		Door Size L × H: cm(inch)		
PLA		318 × 153 × 163 (125 × 60.4 × 64)	100(220)	
			B787	3,175 (7,000)
			B777	2,449 (5,400)
			A380	3,174 (7,000)
IC	DC			
PAG PAJ		318 × 224 × 163 (125 × 88 × 64)	100(220)	
			B777 B787	4,676 (10,310)
			A380	4,626(10,200)
			B767ER	5,102(11,250)
			B767F	MAIN 1,950(4,300) ~ 6,803(15,000) LOWER 5,102(11,250) ~ 6,032(13,300)
			B777F	MAIN 3,233(7,128) ~ 6,803(15,000) LOWER 4,676(10,310)
IC	DC			
PMC		318 × 244 × 163 (125 × 96 × 64)	110 (242)	
			B777 B787 B767ER	5,102 (11,250)
			A380	5,103 (11,250)
			B767F	MAIN 3,394(7,483) ~ 6,803(15,000) LOWER 5,102(11,250) ~ 6,803(15,000)
			B777F	MAIN 3,527(7,775) ~ 6,803(15,000) LOWER 5,102(11,250)
IC	DC			

IC (International) DC (Domestic)

IATA ID Code (IATA Code)	Illustration	Int Volume: m ³ (ft ³)	Tare Wt: kg(Lbs)	
	Internal Dimension: cm(inch)	External Dimension L × W × H: cm(inch)	Loadable Aircraft	Weight Lim. Inc ULD Tare Wt: kg(Lbs)

PRA (16 FEET)			469(1,034)	
		498 × 244 × 244 (196 × 96 × 96)	B767F	MAIN 6,803 (15,000) ~ 10,437 (23,010)
IC			B777F	MAIN 6,401 (14,112) ~ 11,339 (25,000)
PGA (20 FEET)			500(1,100)	
		606 × 244 × 299 (239 × 96 × 118)	B777F	7,788 (17,170) ~ 11,339 (25,000)
IC				

IC (International)

DC (Domestic)

Memo

Memo

PALLET

CARGO NET

[TSO] IN PLACE AND LEGIBLE
EXPIRY DATE NOT EXCEEDED

[RIVETS] NO MORE THAN 5 MISSING RIVETS PER EDGE RAIL
*NO LESS THAN 50CM BETWEEN MISSING RIVETS

NO MORE THAN 2.5CM WRAPPED

[SHEET]
NO CRACKS OR HOLES


[CORNER CONNECTION]
NO MISSING CORNER

[EDGE RAILS]
NO CRACKS

[ATTACHMENT FITTINGS]
NO DISTORTION AND MISSING

NO SERVED OR PARTLY SERVED CORD
NO MISSING LASHING LINES

[ADJUSTING HOOKS]
NO DISTORTION AND MISSING



CONTAINER

[EXTRUSIONS]
NO CRACKS, BENTS, CRUSHED

[RIVETS]
NO MORE THAN 1 MISSING RIVET PER EXTRUSION

[FABRIC DOOR]
NO MISSING AND DAMAGED VELCROS

[PANELS]
NO MORE THAN 10CM SIZED CRACKS OR HOLES
MAX. 2 CRACKS OR HOLES PER SHEET (WITHIN 10CM SIZED)
*NO LESS THAN 10CM BETWEEN CRACKS OR HOLES
*5CM APART FROM RIVETS

[TSO]
NO MISSING AND LEGIBLE

[BASE]
NO CRACKS OR HOLES

NO MORE THAN 3 MISSING RIVETS PER EDGE RAIL
*NO LESS THAN 30CM BETWEEN MISSING RIVETS

NO MORE THAN 2.5CM WRAPPED

NO MORE THAN 5CM SIZED CUTS
MAX. 2 CUTS (WITHIN 5CM SIZED)

*NO LESS THAN 10CM BETWEEN CUTS
*10CM APART FROM EDGES AND VELCROS

NO CRACKS NO MISSING CORNER

*The ruler shall be used with actual size.



ASA **WORLD**CARGO

